



### SAFETY DATA SHEET

### AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200 and WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR).

| 4 Identification                 |   |
|----------------------------------|---|
| 1. Identification                |   |
| Product identifier               |   |
| Product name                     | AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80  |
| Product number                   | DBTF  |
| Recommended use of the che       | emical and restrictions on use  |
| Application                      | Transmission fluid.   |
| Uses advised against             | Avoid the formation of mists.   |
| Details of the supplier of the s | afety data sheet  |
| Supplier                         | AMSOIL INC.<br>Bordner, Ladner, Gervais<br>Scotia Plaza, 40 King St W<br>Toronto, ON, Canada M5H 3Y4<br>T: +1 416-367-6547                            |
| Manufacturer                     | AMSOIL INC.<br>One AMSOIL Center,<br>Superior, WI 54880, USA.<br>T: +1 715-392-7101<br>compliance@amsoil.com  |
| Emergency telephone numbe        | <u>r</u>  |
| Emergency telephone              | CHEMTREC: Within USA and Canada: 1-800-424-9300<br>Outside the USA and Canada: +1 703-741-5970<br>(collect calls accepted) 24/7                       |
| 2. Hazard(s) identification      |   |
| Classification of the substance  | e or mixture  |
| OSHA/WHMIS Regulatory<br>Status  | This Product is not Hazardous under the OSHA Hazard Communication Standard and according to the hazard criteria of the Hazardous Product Regulations. |
| Physical hazards                 | Not Classified  |
| Health hazards                   | Not Classified  |
| Environmental hazards            | Not Classified  |
| Label elements                   |   |
| Hazard statements                | NC Not Classified   |
| Other hazards                    |   |
| This product does not contain    | any substances classified as PBT or vPvB.   |
| 3. Composition/information or    | ningredients  |

Mixtures

| Hydrogenated base oil<br>CAS number: 64742-54-7 | 2.5 - <5%   |
|---|---|
| CAS humber: 04/42-34-7                          |   |
| Classification<br>Asp. Tox. 1 - H304            |   |
| The full text for all hazard state              | ements is displayed in Section 16.  |
| Composition comments                            | The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200.   |
| 4. First-aid measures                           |   |
| Description of first aid measur                 | es  |
| General information                             | Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.  |
| Inhalation                                      | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.  |
| Ingestion                                       | Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water<br>or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not<br>induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head<br>should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an<br>unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. |
| Skin Contact                                    | Remove affected person from source of contamination. Rinse immediately with plenty of water.  |
| Eye contact                                     | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.   |
| Protection of first aiders                      | First aid personnel should wear appropriate protective equipment during any rescue.   |
| Most important symptoms and                     | effects, both acute and delayed   |
| General information                             | See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.  |
| Inhalation                                      | Prolonged inhalation of high concentrations may damage respiratory system.  |
| Ingestion                                       | Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.   |
| Skin contact                                    | Prolonged contact may cause dryness of the skin.  |
| Eye contact                                     | May cause temporary eye irritation.   |
| Indication of immediate medic                   | al attention and special treatment needed   |
| Notes for the doctor                            | Treat symptomatically.  |
| Specific treatments                             | No special treatment required.  |
| 5. Fire-fighting measures                       |   |
| Extinguishing media                             |   |
| Suitable extinguishing media                    | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.  |
| Unsuitable extinguishing media                  | Do not use water jet as an extinguisher, as this will spread the fire.  |
| Special hazards arising from t                  | he substance or mixture   |

| Specific hazards                              | Containers can burst violently or explode when heated, due to excessive pressure build-up.<br>Contains Hydrocarbons. The product is immiscible with water and will spread on the water<br>surface.   |
|---|--|
| Hazardous combustion<br>products              | Thermal decomposition or combustion products may include the following substances:<br>Harmful gases or vapors.   |
| Advice for firefighters                       |  |
| Protective actions during firefighting        | Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak.  |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves, that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable.                                |
| 6. Accidental release measure                 | 95   |
| Personal precautions, protectiv               | ve equipment and emergency procedures  |
| Personal precautions                          | No action shall be taken without appropriate training or involving any personal risk. Keep<br>unnecessary and unprotected personnel away from the spillage. Wear protective clothing as<br>described in Section 8 of this safety data sheet. Follow precautions for safe handling<br>described in this safety data sheet. Wash thoroughly after dealing with a spillage. Use<br>protective equipment appropriate for surrounding materials.                  |
| Environmental precautions                     |  |
| Environmental precautions                     | Avoid discharge to the aquatic environment.  |
| Methods and material for conta                | ainment and cleaning up  |
| Methods for cleaning up                       | Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations. |
| Reference to other sections                   | For personal protection, see Section 8. For waste disposal, see Section 13.  |
| 7. Handling and storage                       |  |
| Precautions for safe handling                 |  |
| Usage precautions                             | Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid contact with used product. Do not reuse empty containers.  |
| Advice on general<br>occupational hygiene     | Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.  |
| Conditions for safe storage, in               | cluding any incompatibilities  |
| Ot  |  |

Storage precautions

cool, well ventilated place. Protect containers from damage.

# Order by Phone 1-800-956-5695 - Give Operator Reference #5178797

Store away from incompatible materials (see Section 10). Keep container tightly closed, in a

# AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

| Storage class  | Chemical storage.  |
|--|--|
| Specific end uses(s)   |  |
| Specific end use(s)  | The identified uses for this product are detailed in Section 1.  |
| 8. Exposure Controls/personal  | protection   |
| Control parameters   |  |
| Occupational exposure limits   |  |
| Comments   | The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.   |
| Under conditions which may ge<br>Long-term exposure limit (8-ho<br>Short-term exposure limit (15-n |  |
| Exposure controls  |  |
| Appropriate engineering<br>controls  | Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.   |
| Eye/face protection  | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.6), and any relevant provincial regulation relating to health and safety at work. The following protection should be worn: Chemical splash goggles.  |
| Hand protection  | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.9), and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. |
| Other skin and body<br>protection  | Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.  |
| Hygiene measures   | Provide eyewash station and safety shower. Contaminated work clothing should not be<br>allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment<br>and the work area every day. Good personal hygiene procedures should be implemented.<br>Wash at the end of each work shift and before eating, smoking and using the toilet. When<br>using do not eat, drink or smoke.   |
| Respiratory protection   | Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.  |
| Environmental exposure<br>controls   | Not regarded as dangerous for the environment.   |
| 9. Physical and Chemical Prop  | erties   |
|  |  |

### Information on basic physical and chemical properties

| Appearance | Liquid. |
|------------|---------|
| Color      | Amber.  |

| OderMid hydrocarbon.Odor thresholdNot available.pHNot available.Miding pointNot available.Initiabing point and rangeNot available.Evaporation randNot available.Upper/lower fammability ogNot available.Upper/lower fammability ogNot available.Vapor gressureNot available.Vapor districtNot available.Partition coefficientNot available.Aucignition temperatureNot available.Not available.Not available.Vapor districtNot available.Vapor district <th></th> <th></th>   |                                 |   |
|--|---------------------------------|---|
| pHNot available.Metting pointNot available.Initial boiling point and rareNot available.Flash point248°C Cleveland open cup. [ASTM D 92]Evaporation rateNot available.Upper Mower flammability or<br>explosive limitsNot available.Vapor gesureNot available.Vapor densityNot available.Solubility(fes)Not available.Solubility(fes)Not available.Aut-orginition temperatureNot available.Not available.Not available.Coupor densityNot available.Not available.Not available.Solubility(fes)Not available.Aut-orginition temperatureNot available.Not available.Not available.Vacosity66 5 cl SI @ 40°C<br>ClasTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.For point266°C Cleveland open cup. [ASTM D 92]Por point266°C Cleveland open cup. [ASTM D 92]Por point264°C Cleveland open cup. [ASTM D 92]Por pointStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Stability of hazardousNo potentially hazardous reactions known.PraceitorsStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Proscibility of hazardousNo potentially hazardous reactions known.Reactions to avoidNot poentially hazardous reactions known. <tr< td=""><td>Odor</td><td>Mild hydrocarbon.</td></tr<> | Odor                            | Mild hydrocarbon.   |
| Procession     Not available       Melting point     Not available.       Initial boiling point and range     Not available.       Flash point     248°C Cleveland open cup. [ASTM D 92]       Evaporation rate     Not available.       Upper/lower flammability or<br>explosive limits     Not available.       Vapor pressure     Not available.       Vapor density     Not available.       Vapor density     Not available.       Solubility(ies)     Not available.       Partition coefficient     Not available.       Auto-ignition temperature     Not available.       Not available.     Not available.       Viscosity     66.5 cst (q.0°C<br>(ASTM D 445)       Explosive properties     Not considered to be explosive.       Oxdizing properties     Does not meet the criteria for classification as oxidizing.       Fire point     266°C Cleveland open cup. [ASTM D 92]       Pour point     -44°C (ASTM D 97)       10. Stability and reactivity     Sable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.       Possibility of hazardous     No potentially hazardous reactions known.       reactions     No sp   | Odor threshold                  | Not available.  |
| Initial bolling point and rangeNot available.Flash point248°C Cleveland open cup. [ASTM D 92]Evaporation rateNot available.Upper/lower flammability or<br>exploaive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(les)Not novn.Partition coefficientNot available.Auto-ignition temperatureNot available.Not available.Not available.Auto-ignition temperatureNot available.Not available.Not available.Partition coefficientNot available.Auto-ignition temperatureNot available.Not available.Not available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Poscopy optiont266°C Cleveland open cup. [ASTM D 92]Pour point266°C Cleveland open cup. [ASTM D 92]Pour point240°C Cleveland open cup. [ASTM D 92]Poscopy optionsSee the other subsections of this section for further details.Stability of hazardous<br>reactionsSuble at normal ambient temperatures and when used as recommended. Stable under the<br>prescribed storage conditions.Poscibility of hazar   | рН                              | Not available.  |
| Flash point 248°C Cleveland open cup. [ASTM D 92]   Evaporation rete Not available.   Upper/lower flarmability or<br>explosive limits Not available.   Vapor pressure Not available.   Vapor density Not available.   Relative density 0.8586   Solubility(ies) Not known.   Partition coefficient Not available.   Auto-ignition temperature Not available.   Viscosity 66 5.61:@ 40°C<br>(ASTM D 445)   Explosive properties Not considered to be explosive.   Oxidizing properties See the other subsections of this section for further details.   Stability and reactivity See the other subsections of this section for further details.   Stability of hazardous No potentially hazardous reactions known.   reactions No potentially hazardous reactions known.   reactions to avoid There are no known conditions that are likely to result in a hazardous situation. <t< td=""><td>Melting point</td><td>Not available.</td></t<>  | Melting point                   | Not available.  |
| Evaporation rateNot available.Upper/lower flammability or<br>explosive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(ies)Not available.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity66.5 cst @ 40°C<br>(ASTM D 445)Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to per cup. [ASTM D 92]Pour point-44°C (ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardousNo potentially hazardous reactions known.<br>reactionsPossibility of hazardousNo potentially hazardous reactions known.<br>reactionsReactivityNo specific material or group of materials is likely to react wit                    | Initial boiling point and range | Not available.  |
| Upper/lower flammability or<br>explosive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(les)Not known.Partition coefficientNot available.Auto-Ignition temperatureNot available.Noto-Solubility (les)Not available.Prescription temperatureNot available.ViscosityRef. S CSt @ 40°C<br>10.3 CSt @ 10°C<br>(ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Our point266°C Cleveland open cup. [ASTM D 92]Pour point266°C Cleveland open cup. [ASTM D 92]Pour pointSee the other subsections of this section for further details.Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous<br>reactionsNo potentially hazardous reactions known.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.ReactivitsNo specific material or group of materials is likely to react with the product to produce a<br>hazardous situation.Hazardous decompositionDoes not decompose when used ant screommended. Thermal decomposition or   | Flash point                     | 248°C Cleveland open cup. [ASTM D 92]   |
| explosive limits     Not available.       Vapor pressure     Not available.       Vapor density     Not available.       Relative density     0.8586       Solubility(les)     Not known.       Partition coefficient     Not available.       Auto-ignition temperature     Not available.       Auto-ignition temperature     Not available.       Decomposition Temperature     Not available.       Viscosity     66.5 cSt @ 40°C<br>10.3 cSt @ 10°C<br>(ASTM D 445)       Explosive properties     Not considered to be explosive.       Oxidizing properties     Not considered to be explosive.       Oxidizing properties     Does not meet the criteria for classification as oxidizing.       Fire point     266°C Cleveland open cup. [ASTM D 92]       Pour point     -44°C [ASTM D 97]       10. Stability and reactivity     See the other subsections of this section for further details.       Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.       Possibility of hazardous     No potentially hazardous reactions known.       reactions     No specific material or group of materials is likely to react with the product to produce a hazardous situation.       Materials to   | Evaporation rate                | Not available.  |
| Vapor densityNot available.Relative density0.8566Solubility(ies)Not known.Partition coefficientNot available.Auto-Ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity66.5 CSt @ 40°C<br>(ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous<br>reactionsNo potentially hazardous reactions known.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Autorials to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or  |                                 | Not available.  |
| Relative density0.8586Solubility(ies)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Uiscosity66.5 cSt @ 40°C<br>10.3 cSt @ 100°C<br>[ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the<br>prescribed storage conditions.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.ReactivityStable at normal ambient zemperatures is likely to result in a hazardous situation.Materials to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or  | Vapor pressure                  | Not available.  |
| Solubility(ies)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Decomposition TemperatureNot available.Uiscosity $66.5 \text{ CSt} @ 40^{\circ}\text{C}$<br>$10.3 \text{ CSt} @ 100^{\circ}\text{C}$<br>[ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Outigizing propertiesSee the citeria for classification as oxidizing.Fire point $266^{\circ}\text{ C}$ Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous<br>reactionsNo potentially hazardous reactions known.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Reactivitions to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or   | Vapor density                   | Not available.  |
| Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Uiscosity66.5 c.St @ 40°C<br>10.3 cSt @ 100°C<br>[ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the<br>prescribed storage conditions.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or  | Relative density                | 0.8586  |
| Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity $6.5  CSt @ 40^\circ C$<br>$10.3  CSt @ 100^\circ C$<br>[ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point $266^\circ C$ Cleveland open cup. [ASTM D 92]Pour point $-44^\circ C$ [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous<br>reactionsStable at normal ambient temperatures and when used as recommended. Stable under the<br>prescribed storage conditions.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Auto-ignitions to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or   | Solubility(ies)                 | Not known.  |
| Decomposition Temperature   Not available.     Viscosity   66.5 cSt @ 40°C<br>[ASTIM D 445]     Explosive properties   Not considered to be explosive.     Oxidizing properties   Does not meet the criteria for classification as oxidizing.     Fire point   266°C Cleveland open cup. [ASTIM D 92]     Pour point   -44°C [ASTM D 97]     10. Stability and reactivity   See the other subsections of this section for further details.     Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.   No potentially hazardous reactions known.     Possibility of hazardous reactions   No potentially hazardous reactions known.     Conditions to avoid   There are no known conditions that are likely to result in a hazardous situation.     Materials to avoid   No specific material or group of materials is likely to react with the product to produce a hazardous situation.     Hazardous decomposition   Does not decompose when used and stored as recommended. Thermal decomposition or   | Partition coefficient           | Not available.  |
| Viscosity66.5 cSt @ 40°C<br>10.3 cSt @ 100°C<br>[ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or   | Auto-ignition temperature       | Not available.  |
| 10.3 cSt @ 100°C<br>[ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or  | Decomposition Temperature       | Not available.  |
| Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or   | Viscosity                       | 10.3 cSt @ 100°C  |
| Fire point   266°C Cleveland open cup. [ASTM D 92]     Pour point   -44°C [ASTM D 97]     10. Stability and reactivity   See the other subsections of this section for further details.     Stability   See the other subsections of this section for further details.     Stability   Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.     Possibility of hazardous reactions   No potentially hazardous reactions known.     Conditions to avoid   There are no known conditions that are likely to result in a hazardous situation.     Materials to avoid   No specific material or group of materials is likely to react with the product to produce a hazardous situation.     Hazardous decomposition   Does not decompose when used and stored as recommended. Thermal decomposition or   | Explosive properties            | Not considered to be explosive.   |
| Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.ReactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or  | Oxidizing properties            | Does not meet the criteria for classification as oxidizing.                       |
| 10. Stability and reactivity     Reactivity   See the other subsections of this section for further details.     Stability   Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.     Possibility of hazardous reactions   No potentially hazardous reactions known.     Conditions to avoid   There are no known conditions that are likely to result in a hazardous situation.     Materials to avoid   No specific material or group of materials is likely to react with the product to produce a hazardous situation.     Hazardous decomposition   Does not decompose when used and stored as recommended. Thermal decomposition or   | Fire point                      | 266°C Cleveland open cup. [ASTM D 92]   |
| ReactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the<br>prescribed storage conditions.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a<br>hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or  | Pour point                      | -44°C [ASTM D 97]   |
| StabilityStable at normal ambient temperatures and when used as recommended. Stable under the<br>prescribed storage conditions.Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a<br>hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or  | 10. Stability and reactivity    |   |
| Possibility of hazardous<br>reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a<br>hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or   | Reactivity                      | See the other subsections of this section for further details.                    |
| reactionsConditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a<br>hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or  | Stability                       |   |
| Materials to avoidNo specific material or group of materials is likely to react with the product to produce a<br>hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or   |                                 | No potentially hazardous reactions known.   |
| Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or  | Conditions to avoid             | There are no known conditions that are likely to result in a hazardous situation. |
|  | Materials to avoid              |   |
|  |                                 |   |

Information on toxicological effects

| Toxicological effects                             | Not regarded as a health hazard under current legislation.  |
|---|---|
| Acute toxicity - oral                             |   |
| Notes (oral LD₅₀)                                 | Based on available data the classification criteria are not met.  |
| Acute toxicity - dermal                           |   |
| Notes (dermal LD₅₀)                               | Based on available data the classification criteria are not met.  |
| Acute toxicity - inhalation                       |   |
| Notes (inhalation LC <sub>50</sub> )              | Based on available data the classification criteria are not met.  |
| Skin corrosion/irritation                         |   |
| Animal data                                       | Based on available data the classification criteria are not met.  |
| Serious eye damage/irritation                     |   |
| Serious eye damage/irritation                     | Based on available data the classification criteria are not met.  |
| Respiratory sensitization                         |   |
| Respiratory sensitization                         | Based on available data the classification criteria are not met.  |
| Skin sensitization                                |   |
| Skin sensitization                                | Based on available data the classification criteria are not met.  |
| Corm coll mutagonicity                            |   |
| Germ cell mutagenicity<br>Genotoxicity - in vitro | Based on available data the classification criteria are not met.  |
| -   |   |
| Carcinogenicity<br>Carcinogenicity                | Based on available data the classification criteria are not met.  |
|   |   |
| IARC carcinogenicity                              | None of the ingredients are listed or exempt.   |
| Reproductive toxicity                             |   |
| Reproductive toxicity - fertility                 | Based on available data the classification criteria are not met.  |
| Reproductive toxicity -                           | Based on available data the classification criteria are not met.  |
| development                                       |   |
| Specific target organ toxicity -                  |   |
| STOT - single exposure                            | Not classified as a specific target organ toxicant after a single exposure.   |
| Specific target organ toxicity -                  |   |
| STOT - repeated exposure                          | Not classified as a specific target organ toxicant after repeated exposure.   |
| Aspiration hazard                                 |   |
| Aspiration hazard                                 | Based on available data the classification criteria are not met.  |
|   |   |
| General information                               | No specific health hazards known. The severity of the symptoms described will vary  |
|   | dependent on the concentration and the length of exposure.  |
| Inhalation  | Prolonged inhalation of high concentrations may damage respiratory system.  |
| Ingestion   | Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. |
| Skin Contact                                      | Prolonged contact may cause dryness of the skin.  |
| Eye contact                                       | May cause temporary eye irritation.   |
| Route of exposure                                 | Ingestion Inhalation Skin and/or eye contact  |
| TOULE OF EXPOSULE                                 | ingestion initialation only and/or eye contact  |

| Target Organs  | No specific target organs known. |
|----------------|----------------------------------|
| i algot olgano | no opcomo target organo known.   |

Medical considerations Skin

Skin disorders and allergies.

#### Toxicological information on ingredients.

#### Hydrogenated base oil

| Acute toxicity - oral                  |  |
|--|--|
| Notes (oral LD <sub>50</sub> )         | LD₅₀ >5000 mg/kg, Oral, Rat REACH dossier information.   |
| Acute toxicity - dermal                |  |
| Notes (dermal LD <sub>50</sub> )       | LD₅₀ >5000 mg/kg, Dermal, Rabbit REACH dossier information.  |
| Acute toxicity - inhalation            |  |
| Notes (inhalation LC <sub>50</sub> )   | LC₅₀ >5.53 mg/l, Inhalation, Rat REACH dossier information.  |
| Skin corrosion/irritation              |  |
| Animal data                            | Dose: 0.5ml, 24 hours, Rabbit Erythema/eschar score: No erythema (0). Edema score: No oedema (0). REACH dossier information. |
| Serious eye damage/irritati            | on   |
| Serious eye<br>damage/irritation       | Dose: 0.1ml, 72 hours, Rabbit REACH dossier information.   |
| Skin sensitization                     |  |
| Skin sensitization                     | Buehler test - Guinea pig: Not sensitizing. REACH dossier information.   |
| Germ cell mutagenicity                 |  |
| Genotoxicity - in vitro                | Gene mutation: Negative. REACH dossier information.  |
| Genotoxicity - in vivo                 | Chromosome aberration: Negative. REACH dossier information.  |
| Reproductive toxicity                  |  |
| Reproductive toxicity -<br>fertility   | Screening - NOAEL > 1000 mg/kg/day, Oral, Rat P REACH dossier information.   |
| Reproductive toxicity -<br>development | Developmental toxicity: - LOAEL: 125 mg/kg/day, Dermal, Rat REACH dossier information.                                       |
| 12. Ecological Information             |  |

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### Toxicity

Based on available data the classification criteria are not met.

### Ecological information on ingredients.

#### Hydrogenated base oil

| Acute aquatic toxicity                    |   |
|---|---|
| Acute toxicity - fish                     | $LL_{50}$ , 96 hours: > 100 mg/l, Pimephales promelas (Fat-head Minnow) |
| Acute toxicity - aquatic<br>invertebrates | EL₅₀, 48 hours: > 10000 mg/l, Daphnia magna                             |
| Acute toxicity - aquatic<br>plants        | NOEL, 72 hours: > 100 mg/l, Pseudokirchneriella subcapitata             |

#### Persistence and degradability

Persistence and degradability The degradability of the product is not known.

### Ecological information on ingredients.

#### Hydrogenated base oil

| Biodegradation                     | Water - Degradation 31: 28 days<br>Inherently biodegradable.  |
|------------------------------------|---|
| Bioaccumulative potential          |   |
| Bio-Accumulative Potential         | No data available on bioaccumulation.   |
| Partition coefficient              | Not available.  |
| Mobility in soil                   |   |
| Mobility                           | No data available.  |
| Other adverse effects              |   |
| Other adverse effects              | None known.   |
| 13. Disposal considerations        |   |
| Waste treatment methods            |   |
| General information                | The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. |
| Disposal methods                   | Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.                          |
| 14. Transport information          |   |
| General                            | The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT, TDG).   |
| UN Number                          |   |
| Not applicable.                    |   |
| UN proper shipping name            |   |
| Not applicable.                    |   |
| Transport hazard class(es)         |   |
| Transport labels                   |   |
| No transport warning sign req      | uirea.  |
| Packing group                      |   |
| Not applicable.                    |   |
| Environmental hazards              |   |
| Environmentally Hazardous S<br>No. | udstance  |

### Special precautions for user

| Not applicable.   DOT TIH Zone   Not applicable.     Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code   Not applicable.     15. Regulatory information   Verticable.     Regulatory References   OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulators (SOR/2015-17) Transportation of Dangerous Goods Regulations -SOR/2015-100. |
|--|
| Transport in bulk according to   Not applicable.     Annex II of MARPOL 73/78   and the IBC Code     15. Regulatory information   OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulatory References  |
| Annex II of MARPOL 73/78<br>and the IBC Code<br>15. Regulatory information<br>Regulatory References OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regul  |
| Regulatory References     OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulatory   |
|  |
|  |
| US Federal Regulations<br>SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities<br>None of the ingredients are listed or exempt.   |
| CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)<br>None of the ingredients are listed or exempt.  |
| SARA Extremely Hazardous Substances EPCRA Reportable Quantities<br>None of the ingredients are listed or exempt.   |
| SARA 313 Emission Reporting<br>The following ingredients are listed or exempt:   |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)<br>1.0 %  |
| Zinc alkyldithiophosphate<br>1.0 %   |
| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts<br>1.0 %   |
| CAA Accidental Release Prevention<br>None of the ingredients are listed or exempt.   |
| SARA (311/312) Hazard Categories<br>None of the ingredients are listed or exempt.  |
| OSHA Highly Hazardous Chemicals<br>None of the ingredients are listed or exempt.   |
| US State Regulations   |
| California Proposition 65 Carcinogens and Reproductive Toxins<br>None of the ingredients are listed or exempt.   |
| California Air Toxics "Hot Spots" (A-I)<br>None of the ingredients are listed or exempt.   |
| California Air Toxics "Hot Spots" (A-II)<br>None of the ingredients are listed or exempt.  |
| California Directors List of Hazardous Substances<br>None of the ingredients are listed or exempt.   |

#### Massachusetts "Right To Know" List

None of the ingredients are listed or exempt.

### Rhode Island "Right To Know" List

None of the ingredients are listed or exempt.

#### Minnesota "Right To Know" List

None of the ingredients are listed or exempt.

#### New Jersey "Right To Know" List

None of the ingredients are listed or exempt.

#### Pennsylvania "Right To Know" List

None of the ingredients are listed or exempt.

#### Inventories

Canada - DSL/NDSL All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

#### 16. Other information

| Abbreviations and acronyms<br>used in the safety data sheet | C.A.S. = Chemical Abstracts Service; E.C. No = European Commission number; GHS =<br>Globally Harmonised System; OSHA = Occupational Safety and Health Administration;<br>WHMIS = Workplace Hazardous Materials Information System; DOT = Department of<br>Transport; TDG = Transport of Dangerous Goods Regulations; IMDG = International Maritime<br>Dangerous Goods; IATA = International Air Transport Association; SARA = Superfund<br>Amendments and Reauthorization Act; CERCLA = Comprehensive Environmental; EPCRA =<br>Emergency Planning and Community Right-to-Know Act; TSCA = Toxic Substances Control<br>Act; LD/LC/EC = Lethal Dose,Lethal Concentration/Effect Concentration for 50% of<br>population; NOEC = No Overall Effect Concentration; NOEL = No Overall Effect Level;<br>REACH = Registration, Evaluation, Authorisation & Restriction of Chemicals; STOT-RE =<br>Single Target Organ Toxicity - Repeat Exposure; STOT-SE= Specific Target Organ Toxicity -<br>Single Exposure; PBT = Persistent, Bioaccumulative, Toxic; vPvB = Very Persistent, Very<br>Bioaccumulative. |
|---|---|
| Key literature references and sources for data              | Source: European Chemicals Agency, http://echa.europa.eu/   |
| Training advice   | Read and follow manufacturer's recommendations. Only trained personnel should use this material.  |
| Revision comments   | This is the first issue.  |
| Revision date   | 2/2/2018  |
| SDS No.   | 6943  |
| Hazard statements in full                                   | H304 May be fatal if swallowed and enters airways.  |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.